J. Phys. B: At. Mol. Opt. Phys. 47 (2014) 145501 (7pp)

Quantum circuits for amplification of Kerr nonlinearity via quadrature squeezing

Monika Bartkowiak^{1,2}, Lian-Ao Wu^{2,3} and Adam Miranowicz¹

¹ Faculty of Physics, Adam Mickiewicz University, PL-61-614 Poznań, Poland

² Department of Theoretical Physics and History of Science, The Basque Country University (EHU/UPV), 48080 Bilbao, Spain

³ IKERBASQUE, Basque Foundation for Science, 48011 Bilbao, Spain

E-mail: miran@amu.edu.pl

Received 22 January 2014, revised 6 May 2014 Accepted for publication 22 May 2014 Published 4 July 2014

Abstract

Phase shifts induced by the Kerr effect are usually very small at the single-photon level. We propose two circuits for enhancing the cross-Kerr phase shift by applying one- and two-mode quadrature squeezing operators. Our results are based on the vector coherent state theory and can be implemented by physical operations satisfying the commutation relations for generators of the generalized special unitary group, SU(1,1). While the proposed methods could be useful for the realization of quantum optical entangling gates based on Kerr nonlinear media at the single-photon level, they also indicate a general alternative approach to enhance higher-order nonlinearities by applying lower-order nonlinear effects.

Keywords: Kerr effect, quantum information, squeezing

1. Introduction

The optical Kerr effect has been attracting considerable interest in quantum state engineering (see, [1, 2]) for selffocusing, self-phase modulation, photon blockade (also referred to as optical state truncation) [3, 4], and quantum nondemolition measurements [5, 6], as demonstrated in a number of experiments (see [1] for references). Moreover, the Kerr effect can be used to generate nonclassical light [7], including self-squeezed light [8] and macroscopic quantum superpositions i.e., the so-called Schrödinger cat [9] and kitten [10] states.

The optical Kerr effect is also a potential resource for performing deterministic photon interactions for quantum information processing (see [2, 11]). Unfortunately, the Kerr effect is usually very weak at the single-photon level. Moreover, recent studies showed [12–14] that the phase noise in the cross-Kerr interaction of small numbers of photons could be significant, and thus could preclude the effective implementation of entangling gates, like the conditional phase (CPHASE) gate, at the single-photon level. Nevertheless, recent experiments demonstrate the possibility of effectively producing, controlling and measuring a nonzero conditional phase shift induced by a cross-Kerr modulation for very weak light. For example, Fushman et al [15] measured nonlinear Kerr-like phase shifts of 0.05π (9 degrees) in a single quantum dot coupled to a photonic crystal nanocavity at the single-photon level. The maximum observed phase shift in this report was equal to 0.16π (28.8 degrees). The average nonlinear cross-Kerr phase shift of up to 20 degrees per photon at the single-photon level was observed by Hoi et al [16] in their recent experiments with coherent microwave radiation generated in superconducting circuits based on Josephson junctions. By comparison, Matsuda et al [17] measured the nonlinear Kerr phase shifts of $\sim 10^{-7}$ rad in optical fibre in single-shot experiments at the single-photon level. The reported nonlinear phase shift can be increased to $\sim 10^{-4}$ for fibers of the same nonlinearity, but with a reduced loss of 1 dB/km and flattened group-velocity dispersion [17].

The effective Hamiltonian describing cross-Kerr interaction between modes a and b can be given as [2]

$$\hat{H}_{\text{Kerr}} = \hbar \chi^{(3)} \hat{n}_a \hat{n}_b, \qquad (1)$$

where $\chi^{(3)}$ is the (rescaled) third-order susceptibility of the nonlinear medium, and $\hat{n}_a = \hat{a}^{\dagger}\hat{a}$ and $\hat{n}_b = \hat{b}^{\dagger}\hat{b}$ are the photon-

Table 1. Examples of the amplified cross-Kerr phase shifts, $\Delta \phi_{amp}^{(k)}$, and the amplification factors, $\kappa_{amp}^{(k)}$, assuming experimental (see references) and theoretical (those marked by [*]) values of the squeezing parameter, θ_2 , for various experimental values of the initial nonlinear Kerr phase shifts: (1) $\Delta \phi_{in}^{(1)} \ll 1$ (e.g., $\Delta \phi_{in}^{(1)} = 10^{-7}$ rad as measured in [17]), and (2) $\Delta \phi_{in}^{(2)} = 0.05\pi = 9^0$ and (3) $\Delta \phi_{in}^{(3)} = 0.16\pi = 28$. 8[°], measured in [15]. The squeezing parameter, θ_1 , and $\Delta \phi_{amp}^{(k)}$ are calculated from equation (8). Superscripts *p* and *c* refer to experiments with pulsed and continuous-wave light, respectively.

$ \theta_2 $		$ \theta_2 $			$\varDelta \phi_{ m amp}^{ m (2)}$		$\varDelta \phi_{ m amp}^{ m (3)}$
[dB]	reference	[rad]	$\kappa_{\rm amp}^{(1)}$	$\kappa_{\rm amp}^{(2)}$	[deg]	$\kappa_{\rm amp}^{(3)}$	[deg]
-3	[27–29] ^{<i>p</i>}	0.35	2.12	2.12	19.1 ⁰	2.13	61.4 ⁰
-9	[19] ^c	1.04	3.17	3.19	28.7^{0}	3.46	99.70^{0}
-10	$[20]^{c}$	1.15	3.48	3.51	31.6°	3.95	113.8^{0}
-11.5	[21] ^{<i>c</i>}	1.32	4.02	4.08	36.7^{0}	5.26	151.6^{0}
-13	[20, 22] ^c	1.50	4.69	4.78	43.0°	_	180.0^{0}
-20	[*]	2.30	10.10	11.60	104.4^{0}		180.0 ⁰

number operators given in terms of the annihilation $(\hat{a} \text{ and } \hat{b})$ and creation $(\hat{a}^{\dagger} \text{ and } \hat{b}^{\dagger})$ operators. We analyze photon-number qubits as superpositions of vacuum and single-photon Fock states. Using an appropriately strong cross-Kerr interaction, it is possible to perform the CPHASE gate on two qubits so that the states $|00\rangle$, $|01\rangle$, and $|10\rangle$ are unchanged, but the two single-photon states gain some additional phase, δ (i.e., $|11\rangle \rightarrow e^{i\delta}|11\rangle$). In particular, for $\delta = \pi$, the CPHASE gate becomes the controlled-sign (CSIGN) gate, which is equivalent up to a unitary transformation, to the controlled-NOT gate.

The main aim of our paper is to show how squeezing can be applied to increase the cross-Kerr nonlinearity.

Squeezed light is a useful resource in high-precision metrology and quantum information processing, including quantum communication (e.g., for quantum entanglement distribution) and quantum cryptography (e.g., for secure quantum key distribution) [18]. The following values of quadrature squeezing were experimentally observed in continuous-wave optical fields: -9 dB [19], -10 dB (-13 dB) [20], -11.5 dB [21], and -12.7 dB [22]. The value of -13 dB is the estimation of squeezing achieved in the experiment [20] after correction for detector inefficiency, which results in a 5% improvement [23]. Recently, a few experiments with superconducting circuits [24, 25] have demonstrated the possibility of obtaining much stronger squeezing in microwave fields, exceeding -20 dB below the shot-noise level [26]. Squeezing of light pulses, which is more adequate for our circuits, is typically much weaker than continuous-mode squeezing. The highest reported experimental pulse-mode squeezing is probably only about -3 dB below the shot-noise level: -3 dB [27], -3.1 dB [28], and -3.2 dB [29].

Our amplification circuits are described in detail in the next sections. We summarize our amplified Kerr shifts for the previously discussed, experimentally relevant squeezing values in table 1 and the conclusions section.

2. Circuit based on single-mode squeezing

First, we present a two-mode circuit for the amplification of the phase shift induced by the nonlinear cross-Kerr effect using one-mode squeezing operators. Our derivation is based on the vector coherence theory (for a review, see [30]).

Let us consider only a two-qubit subspace of the total photon-number space and define the qubit states with photon numbers 0 and 1 as and $|1\rangle = \hat{a}^{\dagger}|0\rangle$, respectively. Therefore, in the subspace used for quantum computation, we can introduce the operator $\hat{Z}_a = 2\hat{n}_a - 1$, which has only two eigenvalues equal to 1 and -1, so that $\hat{Z}_a^2 = 1$. This operator can be further used to construct one of the generators of the SU(1,1) group,

$$\hat{\Gamma}_{3} = \frac{1}{2} \left(2\hat{n}_{b} + 1 \right) \hat{Z}_{a} = \frac{1}{2} \left(4 \underbrace{\hat{n}_{a} \hat{n}_{b}}_{\text{Kerr effect}} + 2\hat{n}_{a} - 2\hat{n}_{b} - 1 \right), \qquad (2)$$

which is equivalent, up to some additional phase shifts of both qubits, to the Kerr effect described by equation (1). In order to preserve the bosonic commutation rules for the generators of SU(1,1),

$$\begin{bmatrix} \hat{\Gamma}_{1}, \hat{\Gamma}_{2} \end{bmatrix} = -i2\hat{\Gamma}_{3}, \\ \begin{bmatrix} \hat{\Gamma}_{2}, \hat{\Gamma}_{3} \end{bmatrix} = i2\hat{\Gamma}_{1}, \\ \begin{bmatrix} \hat{\Gamma}_{3}, \hat{\Gamma}_{1} \end{bmatrix} = i2\hat{\Gamma}_{2},$$
(3)

we construct the remaining generators as follows:

$$\hat{\Gamma}_{1} = \frac{1}{2} \left(\hat{b}\hat{b} + \hat{b}^{\dagger}\hat{b}^{\dagger} \right) Z_{a},$$

$$\hat{\Gamma}_{2} = \frac{i}{2} \left(\hat{b}\hat{b} - \hat{b}^{\dagger}\hat{b}^{\dagger} \right),$$
(4)

where \hat{b} and \hat{b}^{\dagger} fulfill the standard bosonic commutation relation. Using the vector coherent-state theory, we find a configuration of operations, which needs to be performed on

qubits to amplify the conditional phase shift induced by the cross-Kerr effect. The vector coherent-state theory is based on the fact that structural constants depend only on the commutation relations of generators but are independent of the dimensions of the representations of those generators. For example, of the group SU(1,1),

$$\exp\left(i\alpha\hat{\Gamma}_{k}\right)\exp\left(i\beta\hat{\Gamma}_{l}\right)=\exp\left(i\xi\hat{\Gamma}_{1}+i\theta\Gamma_{2}+i\zeta\hat{\Gamma}_{3}\right),\qquad(5)$$

where, for given k, l and α , β , the structural constants θ , ξ , and ζ are independent of the dimension, $\hat{\Gamma}_k$. The generators of the group SU(1,1), which is noncompact and does not have any finite unitary representation, can, however, be written in a simple two-dimensional non-Hermitian representation as

-

$$\hat{\Gamma}_{1} = i\hat{\sigma}_{2} = \begin{bmatrix} 0 & 1 \\ -1 & 0 \end{bmatrix},$$

$$\hat{\Gamma}_{2} = -i\hat{\sigma}_{1} = \begin{bmatrix} 0 & -i \\ -i & 0 \end{bmatrix},$$

$$\hat{\Gamma}_{3} = \hat{\sigma}_{3} = \begin{bmatrix} 1 & 0 \\ 0 & -1 \end{bmatrix}.$$
(6)

According to equation (6), we can design the following setup for enhancing Kerr nonlinearity:

$$e^{i\theta_{1}\hat{f}_{2}}e^{i\frac{\delta}{2}\hat{f}_{3}}e^{i\theta_{2}\hat{f}_{2}}e^{i\frac{\delta}{2}\hat{f}_{3}}e^{i\theta_{1}\hat{f}_{2}} = e^{i\gamma\hat{f}_{3}},\tag{7}$$

where the coefficients, θ_2 and γ , are introduced via the angles δ , and θ_1 , as follows:

$$\theta_{2} = \arctan\left[-\cos\delta\tanh\left(2\theta_{1}\right)\right],$$

$$\gamma = \arctan\left[\tan\delta\cosh\left(2\theta_{1}\right)\right].$$
(8)

The above result can be obtained as follows:

$$\hat{V}\begin{pmatrix} e^{\frac{i\delta}{2}} & 0\\ 0 & e^{-\frac{i\delta}{2}} \end{pmatrix} w \begin{pmatrix} 1 & x\\ x & 1 \end{pmatrix} \begin{pmatrix} e^{\frac{i\delta}{2}} & 0\\ 0 & e^{-\frac{i\delta}{2}} \end{pmatrix} \hat{V} = \begin{pmatrix} y & 0\\ 0 & y^* \end{pmatrix}, \quad (9)$$

where

$$\hat{V} = \begin{pmatrix} \cosh \theta_1 & \sinh \theta_1 \\ \sinh \theta_1 & \cosh \theta_1 \end{pmatrix},$$
$$y = \frac{w}{\cosh(2\theta_1)} \Big[\cos \delta + i \cosh(2\theta_1) \sin \delta \Big], \quad (10)$$

 $x = -\cos \delta \tanh(2\theta_1)$, and $w = 1/\sqrt{1-x^2}$. In equation (9), the exponential functions of $\hat{\Gamma}_k$ are group elements, which can be given in a matrix representation. Although there is no finite unitary representation of the group, we have also checked our result numerically for spaces of relatively large dimensions (up to 100).

According to equation (7), it is possible to design the following method for the Kerr-nonlinearity amplification:

$$\underbrace{\hat{S}_{b}\left(\theta_{1}\right)}_{\text{PS}} \underbrace{e^{i\frac{\delta}{2}\left(2\hat{n}_{a}\hat{n}_{b}-\hat{n}_{b}\right)}}_{\text{PS}} \underbrace{\hat{S}_{b}\left(\theta_{2}\right)}_{\text{squeezing}} \underbrace{e^{i\frac{\delta}{2}\left(2\hat{n}_{a}\hat{n}_{b}-\hat{n}_{b}\right)}}_{\text{Figure 2}} \underbrace{\hat{S}_{b}\left(\theta_{2}\right)}_{\text{squeezing}} \underbrace{e^{i\frac{\delta}{2}\left(2\hat{n}_{a}\hat{n}_{b}-\hat{n}_{b}\right)}}_{\text{squeezing}} \hat{S}_{b}\left(\theta_{1}\right)}_{\text{squeezing}}$$

$$(11)$$

where PS denotes (linear) phase shift in mode b. Based on the vector coherence theory, we conclude that these relations are



M Bartkowiak et al



Figure 1. A two-mode circuit for the amplification of the cross-Kerr phase shift, where $\hat{S}_1 = \hat{S}_h(\theta_1)$ and $\hat{S}_2 = \hat{S}_h(\theta_2)$ are the single-mode squeezing operators for the parameters θ_1 and θ_2 , given via equation (8), and PS are the phase shifters.

valid in the whole ladder of Fock states for mode b. For mode a, we restrict ourselves within the subspace of the vacuum and single-photon states. The unitary operation $\hat{S}_{h}(\theta_{1,2})$, connected with the exponents of $\hat{\Gamma}_2$ given in equation (4), corresponds to the standard single-mode (quadrature) squeezing operator [2]:

$$\hat{S}_{k} \equiv \hat{S}_{b}(\theta_{k}) = \exp\left[-\frac{\theta_{k}}{2}\left(\hat{b}\hat{b} - \hat{b}^{\dagger}\hat{b}^{\dagger}\right)\right], \quad (12)$$

where the squeezing parameter θ_k (with k = 1, 2) is assumed to be real, and extra minus corresponds to the squeezing angle equal to π . This squeezing operator can be implemented by a degenerate parametric down-conversion, described by the interaction Hamiltonian

$$\hat{H}_{\rm pdc} = \frac{i}{2} \hbar \chi^{(2)} \left(\hat{a}^{\dagger} \hat{b} \hat{b} - \hat{a} \hat{b}^{\dagger} \hat{b}^{\dagger} \right) \tag{13}$$

in the strong classical pump limit, where the operator, \hat{a} , is well approximated by a complex number, α . The interaction strength is proportional to the second-order susceptibility, $\chi^{(2)}$, of the nonlinear medium. Thus, this is a lower-order nonlinear process in comparison to the Kerr effect given by equation (1). For completeness, we note that this squeezing operator can be also realized by higher-order nonlinear processes, such as those described by $\chi^{(3)}$. The circuit, shown in figure 1 and given by equations (7) and (11), can be compactly rewritten as

$$\hat{K}\left(\Delta\phi_{\rm amp}\right) = \hat{P}'\hat{S}_{1}\hat{K}\left(\Delta\phi_{\rm in}\right)\hat{P}\hat{S}_{2}\hat{P}\hat{K}\left(\Delta\phi_{\rm in}\right)\hat{S}_{1},\qquad(14)$$

where the operators $\hat{K}(\Delta \phi) = \exp\left[i\Delta \phi \hat{n}_a \hat{n}_b\right]$ describe the initial and amplified Kerr effects, corresponding to the interaction strengths

$$\Delta \phi_{\rm in} = \delta, \quad \Delta \phi_{\rm amp} = 2\gamma, \tag{15}$$

respectively. Moreover in equation (14), $\hat{P} = \exp(-i\beta)$ and $\hat{P}' = \exp(-i\beta')$ are linear phase shifts with $\beta = \delta \hat{n}_b/2$ and $\beta' = (\gamma - \delta)(\hat{n}_a - 1/2) - \gamma \hat{n}_b$. The right-hand side of equation (14) is shown in figure 1 where, for simplicity, the less important gate, \hat{P}' , is omitted.

One can define the cross-Kerr effect amplification factor as the ratio of the amplified, $\Delta \phi_{amp}$, and initial, $\Delta \phi_{in}$, crossKerr phase shifts:

$$\kappa_{\rm amp} = \frac{\Delta \phi_{\rm amp}}{\Delta \phi_{\rm in}} = \frac{2\gamma}{\delta}.$$
 (16)

(a)

amplified phase shift ${\Delta \phi}_{amp}$

π

3π/4

 $\pi/2$

π/4

0

Alternatively, one could define $\kappa'_{amp} = \kappa_{amp}/2$, where factor 2 in the denominator would count for two Kerr media used in this circuit (see figure 1). In table 1, we calculated this amplification factor for the best experimentally achieved values of the squeezing parameters, θ_2 , and the cross-Kerr phase shifts, $\Delta \phi_{in}$.

As already emphasized, the Kerr effect is usually very small at the single-photon level (i.e., $\Delta \phi_{\rm in} \ll 1$). Let us also assume that the squeezing parameter, θ_1 , is relatively small, such that $\tan (2\Delta \phi_{\rm in}) \cosh (2\theta_1) \ll 1$. Then, by expanding equation (8) in power series in $\delta = 2\Delta \phi_{\rm in}$ and keeping only the first terms of these expansions, one finds that $\theta_2 \approx -2\theta_1$ and

$$\Delta \phi_{\rm amp} \approx 4\Delta \phi_{\rm in} \cosh\left(2\theta_1\right),\tag{17}$$

which results in the Kerr amplification factor

$$\kappa_{\rm amp} \approx 2 \cosh\left(2\theta_1\right)$$
 (18)

being independent of $\Delta \phi_{in}$. The enhancements of the cross-Kerr phase shift vs. squeezing parameters, θ_1 and θ_2 , are plotted in figure 2 for the experimental (initial) nonlinear phase shifts reported by Matsuda *et al* [17] and Fushman *et al* [15]. As we see in figure 2 and table 1, we obtain a significant enhancement of the Kerr nonlinearity. As it turns out, when an appropriate squeezed light goes through two Kerr crystals and phase shiftters, the Kerr nonlinearity can be amplified to a π shift. Thus, the CPHASE gate can be, in principle, deterministically implemented by Kerr nonlinearity via the cross-phase modulation if appropriately strong squeezing of light is available.

3. Circuit based on two-mode squeezing

Here, we present a three-mode circuit for the amplification of Kerr effect, based on two-mode squeezing as an extension of the two-mode circuit of the previous section.

The two-mode squeezing operator acting on modes b and c can be defined as [2]

$$\hat{S}_{bc}(\theta_1) = \exp\left[-\theta_1\left(\hat{b}\hat{c} - \hat{b}^{\dagger}\hat{c}^{\dagger}\right)\right], \quad (19)$$

with the real squeezing parameter, θ_1 . This two-mode squeezing operator can be implemented by a *nondegenerate* parametric down-conversion in a $\chi^{(2)}$ -nonlinear medium, as described by the interaction Hamiltonian

$$\hat{H}_{\rm pdc}^{\prime} = i\hbar\chi^{(2)} \left(\hat{a}^{\dagger} \hat{b} \hat{c} - \hat{a} \hat{b}^{\dagger} \hat{c}^{\dagger} \right), \tag{20}$$

assuming that the strong pump mode is treated classically [i.e., $\hat{a} \approx \alpha$, in analogy to the *degenerate* case described by equation (13)]. Also, analogously to equations (2) and (4), the

Figure 2. The amplified cross-Kerr phase shift, $\Delta \phi_{amp}$, as a function of the squeezing parameters (a) θ_1 and (b) θ_2 for various values of the initial cross-Kerr phase shifts, $\Delta \phi_{in}$.

generators of the group SU(1,1) can be written as:

$$\hat{\Gamma}_{1}^{\prime} = \left(\hat{b}\hat{c} + \hat{b}^{\dagger}\hat{c}^{\dagger}\right)\hat{Z}_{a},$$

$$\hat{\Gamma}_{2}^{\prime} = i\left(\hat{b}\hat{c} - \hat{b}^{\dagger}\hat{c}^{\dagger}\right),$$

$$\hat{\Gamma}_{3}^{\prime} = \left(\hat{n}_{b} + \hat{n}_{c} + 1\right)\hat{Z}_{a}$$
(21)

with the same commutation relations as those given by equation (3) for $\hat{\Gamma}_k$. Based on equation (7), we can derive the following relation:

$$\underbrace{\widehat{S}_{bc}\left(\theta_{1}\right)}_{\text{S}_{bc}\left(2\hat{n}_{a}\hat{n}_{b}-\hat{n}_{b}\right)} \underbrace{e^{i\frac{\delta}{2}\left(2\hat{n}_{a}\hat{n}_{b}-\hat{n}_{b}\right)}}_{\text{S}_{bc}\left(2\hat{n}_{a}\hat{n}_{c}-\hat{n}_{c}\right)} \underbrace{\widehat{S}_{bc}\left(\theta_{2}\right)}_{\text{S}_{bc}\left(\theta_{2}\right)}$$

$$\times \underbrace{e^{i\frac{\delta}{2}\left(2\hat{n}_{a}\hat{n}_{b}-\hat{n}_{b}\right)}}_{\text{PS}} \underbrace{e^{i\frac{\delta}{2}\left(2\hat{n}_{a}\hat{n}_{c}-\hat{n}_{c}\right)}}_{\text{S}_{bc}\left(\theta_{1}\right)} \underbrace{\widehat{S}_{bc}\left(\theta_{1}\right)}_{\text{S}_{bc}\left(\theta_{1}\right)}$$

$$(22)$$



 $\Delta \phi_{ini} = 0.16$ $\Delta \phi_{ini} = 0.05$

 $\Delta \phi$



Figure 3. A three-mode circuit for the amplification of the cross-Kerr phase shift based on the two-mode squeezing operators, $\hat{S}_1 \equiv \hat{S}_{bc}(\theta_1)$ and $\hat{S}_2 \equiv \hat{S}_{bc}(\theta_2)$. The SWAP gates are denoted by lines connected with the symbols ×. The other symbols are explained in the caption for figure 1.

In analogy to the circuit of section II, this three-mode circuit with the two-mode squeezing operators can be compactly written in the form of equation (14), but for $\hat{K} = \hat{K}_{ab}\hat{K}_{ac}$ $\hat{P} = \hat{P}_{h}\hat{P}_{c},$ where $\hat{K}_{ai} = \exp(i\delta\hat{n}_a\hat{n}_i)$ and and $\hat{P}_i = \exp\left[-i\left(\delta/2\right)\hat{n}_i\right]$ for j = b, c, and $\hat{P}' = \exp\left(-i\beta'\right)$ is the phase shift with $\beta' = 2(\gamma - \delta)(\hat{n}_a - 1/2) - \gamma(\hat{n}_b + \hat{n}_c)$. The final Kerr effect enhancement in this circuit is similar to the former circuit. Note that figure 3 shows a circuit composed of Kerr effect operators, \hat{K}_{ab} solely applied in modes a and b. We have simply applied the relation $\hat{K} = \hat{K}_{ab} \hat{U}_{SWAP}^{bc} \hat{K}_{ab} \hat{U}_{SWAP}^{bc}$ in terms of the SWAP operations \hat{U}^{bc}_{SWAP}

4. Dissipation

In order to include the effect of decoherence in our circuits, we apply the beam-splitter model of losses, which was developed in a general form by Leonhardt [31] and d'Ariano [32].

Realistic imperfect nonlinear elements (i.e., the squeezers and Kerr elements) of the proposed circuits can be modelled as perfect ones followed by fictitious beam splitters, \hat{B}_i (for i = 1, 2,...), as shown in figure 4. The vacuum mode, assumed at one of the input ports of each beam splitter, models the extra quantum noise caused by nonlinear effects.

Note that we ignore dissipation in phase shifters. In fact, losses involved in linear optical elements, such as phase shifters and beam splitters, are usually negligible in comparison to those of realistic nonlinear optical elements.

As discussed in [31, 33], the model of losses, based on a single-beam splitter, formally corresponds to a dissipation described by the standard master equation for a quiet reservoir (i.e., at zero temperature), as given by

$$\frac{d\hat{\rho}}{dt} = \frac{1}{2} \left(2\hat{b}\hat{\rho}\hat{b}^{\dagger} - \hat{b}^{\dagger}\hat{b}\hat{\rho} - \hat{\rho}\hat{b}^{\dagger}\hat{b} \right).$$
(23)

In this description, the formal time, *t*, is simply related to the reflectance as $R = 1 - \exp(-t)$ at the beam splitter.



Figure 4. The application of the beam-splitter model of losses in the circuit shown in figure 1. The output signal modes are obtained by tracing out the modes e_i and e'_i , which are lost to the environment, as visualized by green waste baskets. Broken lines at the second ports to the beam splitters, \hat{B}_i (*i*=1,2...), denote the vacuum modes, which model the extra quantum noise involved in the nonlinear effects.

The circuit shown in figure 4 (except the additional phase shifter \hat{P}' performs the following sequence of operations:

$$\hat{K}' = \hat{P}'\hat{B}_5\hat{S}_1\hat{B}_4\hat{B}_4'\hat{K}\hat{P}\hat{B}_3\hat{S}_2\hat{P}\hat{B}_2\hat{B}_2'\hat{K}\hat{B}_1\hat{S}_1, \qquad (24)$$

where $\hat{K} = \hat{K} (\Delta \phi_{in})$. The beam-splitter transformations, $\hat{B}'_i(\hat{B}_i)$, for the annihilation operators \hat{a} and $\hat{b} (\hat{v}'_i \text{ and } \hat{v}_i)$ of the signal (vacuum) modes are given by

$$\hat{B}_{i}^{'} = \exp\left[\theta_{i}\left(\hat{a}\hat{v}_{i}^{'\dagger} - \hat{a}^{\dagger}\hat{v}_{i}^{'}\right)\right],$$
$$\hat{B}_{i} = \exp\left[\theta_{i}\left(\hat{b}\hat{v}_{i}^{\dagger} - \hat{b}^{\dagger}\hat{v}_{i}\right)\right],$$
(25)

respectively, where $\theta_i = \arccos\left(\sqrt{1 - R_i}\right)$ and R_i is the reflectance. Then, the output signal state, $\hat{\rho}_{out}$, is given by

$$\hat{\rho}_{\rm out} = {\rm tr}_{e_1, e_2, e_2', e_3, e_4, e_4', e_5} \Big[\hat{K}' \left(\hat{\rho}_{\rm in} \otimes \hat{\rho}_{\rm vac} \right) \hat{K}^{'\dagger} \Big], \tag{26}$$

as obtained by tracing out the beam-splitter output modes, e_i and e'_i , which are lost to the environment. In this equation, $\hat{\rho}_{in}$ is the two-mode input signal state and $\hat{\rho}_{vac} = \hat{\rho}_{vac}^{(e_1)} \otimes ... \otimes \hat{\rho}_{vac}^{(e_5)}$ and $\hat{\rho}_{vac}^{(e_i)} = (|0\rangle \langle 0|)_{e_i}$ are the vacuum modes. It is rather inconvenient to directly apply equations (24) and (26) in numerical analysis. This would require dealing simultaneously with nine-mode Hilbert spaces. Instead, in our numerical simulation of losses, we have applied the required operations sequentially, as follows:

$$\begin{aligned} \hat{\rho}_{1} &= \mathrm{tr}_{e_{1}} \bigg[\hat{B}_{1} \left(\hat{S}_{1} \hat{\rho}_{\mathrm{in}} \hat{S}_{1}^{\hat{\rho}} \otimes \hat{\rho}_{\mathrm{vac}}^{(e_{1})} \right) \hat{B}_{1}^{\dagger} \bigg], \\ \hat{\rho}_{2} &= \mathrm{tr}_{e_{2}, e_{2}'} \bigg[\hat{B}_{2} \hat{B}_{2}^{\,\prime} \left(\hat{K} \hat{\rho}_{1} \hat{K}^{\dagger} \otimes \hat{\rho}_{\mathrm{vac}}^{(e_{2})} \otimes \hat{\rho}_{\mathrm{vac}}^{(e_{2})} \right) \hat{B}_{2}^{\,\prime^{\dagger}} \hat{B}_{2}^{\,\dagger} \bigg], \\ \hat{\rho}_{3} &= \hat{\rho} \, \mathrm{tr}_{e_{3}} \bigg[\hat{B}_{3} \left(\hat{S}_{2} \hat{\rho} \hat{\rho}_{2} \hat{\rho}^{\dagger} \hat{S}_{2}^{\,\dagger} \otimes \hat{\rho}_{\mathrm{vac}}^{(e_{3})} \right) \hat{B}_{3}^{\,\dagger} \bigg] \hat{\rho}^{\dagger}, \\ \hat{\rho}_{4} &= \mathrm{tr}_{e_{4}, e_{4}} \bigg[\hat{B}_{4} \hat{B}_{4}^{\,\prime} \left(\hat{K} \hat{\rho}_{3} \hat{K}^{\,\dagger} \otimes \hat{\rho}_{\mathrm{vac}}^{(e_{4})} \otimes \hat{\rho}_{\mathrm{vac}}^{(e_{4})} \right) \hat{B}_{4}^{\,\prime^{\dagger}} \hat{B}_{4}^{\,\dagger} \bigg], \\ \hat{\rho}_{\mathrm{out}} &= \hat{\rho}^{\,\prime} \, \mathrm{tr}_{e_{5}} \bigg[\hat{B}_{5} \left(\hat{S}_{1} \hat{\rho}_{4} \hat{S}_{1}^{\,\dagger} \otimes \hat{\rho}_{\mathrm{vac}}^{(e_{5})} \right) \hat{B}_{5}^{\,\dagger} \bigg] \hat{\rho}^{\,\prime^{\dagger}} \end{aligned} \tag{27}$$

according to the circuit shown in figure 4.

In order to compare the outputs of the perfect and lossy circuits, we apply the Uhlmann–Jozsa fidelity defined as [34]:

$$F\left(\hat{\rho}_{\text{ideal}},\,\hat{\rho}_{\text{out}}\right) \equiv \left[\operatorname{Tr}\left(\sqrt{\sqrt{\hat{\rho}_{\text{ideal}}}\,\hat{\rho}_{\text{out}}\sqrt{\hat{\rho}_{\text{ideal}}}}\,\right)\right]^{2}.$$
 (28)

In our case, $\hat{\rho}_{out}$ is the output state of the two-mode lossy circuit, given by equations (26) and (27), while $\hat{\rho}_{ideal}$ is the ideal Kerr state obtained by the application of the operators given by the left- or right-hand side of equation (14) to a given initial state, $\hat{\rho}_{in}$. Note that the root fidelity, \sqrt{F} , is also sometimes referred to as fidelity (see, e.g., [35]). Methods for measuring the fidelity and its tight upper and lower bounds are described in [36]. If one of the states is pure, which can be the ideal state $\hat{\rho}_{ideal} = |\psi_{ideal}\rangle\langle\psi_{ideal}|$, then the fidelity simplifies to the straightforward expression $F = \langle\psi_{ideal}|\hat{\rho}_{out}|\psi_{ideal}\rangle$.

For simplicity, we present our numerical results only for cases when the losses in the signal modes in all the squeezers (Kerr media), as shown in figure 4, are the same and are described by the reflectance $R_s \equiv R_1 = R_3 = R_5$ $(R_K \equiv R_2 = R_2' = R_4 = R_4')$. If we set $\theta_1 = \Delta \phi_{in} = 1/2$, then the amplified cross-Kerr phase shift is equal to $\Delta \phi_{amp} = 1.4$ for the ideal system.

Now we briefly discuss the results of our numerical simulations for the two specific choices of the input state. Our first example was calculated for an initial separable pure state, i.e., $|\psi_{in}\rangle = |++\rangle$, where $|+\rangle = (|0\rangle + |1\rangle)/\sqrt{2}$. The perfect CPHASE gate should transform this state into an entangled state, $|\psi_{out}\rangle = (|00\rangle + |01\rangle + |10\rangle + e^{i\delta} |11\rangle)/2$. In contrast, the imperfect amplifier generates a mixed state described by the fidelity $F(R_K, R_S) \equiv F(\hat{\rho}_{ideal}, \hat{\rho}_{out})$, depending on the chosen values of the losses (reflectances), R_K and R_S . For example, we found F(0.1, 0.1) = 0.74, F(0.1, 0) = 0.82, F(0, 0.1) = 0.87, and F(0.2, 0.2) = 0.59. We note that F(0, 0) = 1, as required for the ideal amplifier, and $F(1, 1) = |\langle 00|++\rangle|^2 = 1/4$ for the amplifier completely absorbing the input state.

Our second example is given for an initial entangled mixed state, i.e., for the two-qubit Werner-like state defined by (see, e.g. [37])

$$\hat{\rho}_{W} = p \left| \Phi^{+} \right\rangle \left\langle \Phi^{+} \right| + \frac{1 - p}{4} \hat{I}, \qquad (29)$$

where $|\Phi^+\rangle = (|00\rangle + |11\rangle)/\sqrt{2}$ and \hat{I} is the identity operator. Moreover, we set p = 1/2 (in general, $p \in [0, 1]$). As in the former case, we assume $\theta_1 = \Delta \phi_{in} = 1/2$, which leads to $\Delta \phi_{amp} = 1.4$ in the ideal system. The calculated fidelities, $F(R_K, R_S)$, as a function of the losses (reflectances) R_K and R_S read as: F(0.1, 0.1) = 0.89, F(0.1, 0) = 0.929, F(0, 0.1) = 0.941, and F(0.2, 0.2) = 0.81. Note that, as for the former example, it holds $F(R_K, 0) < F(0, R_S)$ for $R_S = R_K > 0$. Because of this it can be interpreted that our circuit is more sensitive to losses in the Kerr media, rather than those in the squeezers, at least for the analyzed values

and states within our beam-splitter model of losses. In addition, F(0, 0) = 1, as expected for the ideal case, and $F(1, 1) = |\langle 00 | \hat{\rho}_w | 00 \rangle|^2 = (1 + p)/4 = 3/8$ for the amplifier absorbing all the incident light.

Finally, we mention that a deeper analysis of decoherence in our circuits should also include the effect of thermal photons. This dissipation can be modelled by the full master equation, assuming that the thermal reservoir is at non-zero temperature, which is a generalization of the quiet-reservoir master equation, given by equation (23). Such thermal effects can be described, to some extent by the beam-splitter model of losses, assuming that thermal photons, instead of the vacuum mode, are at one of the input modes to fictitious beam splitters. Preliminary studies show that our circuits are strongly sensitive to thermal photons, which is typical, especially for nonlinear optical processes at the single-photon level. We also note the effects of mode mismatch, which are important when dealing with the time-frequency overlaps of interfering light pulses. Such mode-mismatch effects can affect the efficiency of systems, which can be revealed by applying a pulse-mode formalism, as studied, for example, in the related problem of a quantum scissors system [38]. This infinite-mode formalism is completely different from that applied here for a few modes only. Our related theoretical [38] and experimental studies [39] show that, usually, the mode-mismatch problems can be effectively overcome in optical experiments, even at the single-photon level.

5. Conclusions

We proposed two setups which can be used for enhancing the phase shift in nonlinear cross-Kerr media, described by the third-order nonlinear susceptibilities $\chi^{(3)}$, by applying a sequence of single-mode (or two mode) squeezing operators in media described by the second-order nonlinear susceptibilities $\chi^{(2)}$. Our results are based on a group-theoretical analysis. It is well known that entangling gates, like CSIGN gates, cannot be implemented deterministically using linear-optical elements only (for a review, see [40]). Our approach can, in principle, enhance the nonlinear phase shift to 180^{0} at the single-photon level and thus enable a deterministic implementation of the CSIGN gate if an adequately strong squeezed light source is available.

Our group-theoretical proposal can be implemented using various systems exhibiting quadrature squeezing and cross-Kerr nonlinearity. The predicted enhanced nonlinear phase shifts for the experimentally observed initial nonlinear phase shifts and generated squeezings are summarized in table 1.

We also studied dissipation in imperfect circuits by applying the beam-splitter model of losses. In particular, we addressed the question how the Uhlmann–Jozsa fidelity, between the outputs of the ideal and lossy systems, deviates from 1 by the inclusion of losses.

While we have proposed methods, which could be applied for an implementation of quantum entangling gates using Kerr media at the single-photon level, we have also shown an interesting general idea to enhance higher-order nonlinear effects through other types of lower-order nonlinear effects.

Acknowledgements

The authors thank Nobuyuki Matsuda and Patrick Leung for discussions. M B acknowledges a scholarship from the Adam Mickiewicz University to stay at the Basque Country University. This work was supported by the Polish National Science Centre under grants DEC-2011/03/B/ST2/01903 and DEC-2011/02/A/ST2/00305, the Basque Government (Grant No. IT472-10), and the Spanish MICINN (Project No. FIS2012-36673-C03-03).

References

- Haroche S and Raimond J M 2006 Exploring the Quantum: Atoms, Cavities and Photons (Oxford: Oxford University Press)
- [2] Gerry C and Knight P 2006 Introductory Quantum Optics (Cambridge: Cambridge University Press)
- [3] Imamoglu A, Schmidt H, Woods G and Deutsch M 1997 Phys. Rev. Lett. 79 1467
- [4] Leoński W and Tanaś R 1994 Phys. Rev. A 49 R20
- [5] Milburn G J and Walls D F 1983 Phys. Rev. A 28 2065
- [6] Imoto N, Haus H A and Yamamoto Y 1985 Phys. Rev. A 32 2287
- [7] Tanaś R 2003 Theory of Non-Classical States of Light ed V Dodonov and V I Man'ko (London: Taylor & Francis) p 267
- [8] Tanaś R and Kielich S 1983 Opt. Commun. 45 351
 Milburn G J 1986 Phys. Rev. A 33 674
 Yamamoto Y, Imoto N and Machida S 1986 Phys. Rev. A 33 3243
- [9] Yurke B and Stoler D 1986 *Phys. Rev.* A 57 13
 Tombesi P and Mecozzi A 1987 *J. Opt. Soc. Am.* B 4 1700
- Miranowicz A, Tanaś R and Kielich S 1990 Quantum Opt. 2 253 Tanaś R, Ts Gantsog, Miranowicz A and Kielich S 1991 J. Opt. Soc. Am. B 8 1576
- [11] Milburn G J 1989 *Phys. Rev.* A 62 2124 Chuang I L and Yamamoto Y 1995 *Phys. Rev.* A 52 3489 Franson J D, Jacobs B C and Pittman T B 2004 *Phys. Rev.* A 70 062302 Nemoto K and Munro W J 2004 *Phys. Rev. Lett.* 93 250502 Marg W L Nameter K and Spiller T D 2005 *New L Phys.* 7 127
- Munro W J, Nemoto K and Spillter T P 2005 *New J. Phys.* 7 137
 Leung P M and Ralph T C 2006 *Phys. Rev.* A 74 062325
 [12] Shapiro J H 2006 *Phys. Rev.* A 73 062305
- Shapiro J H and Razavi M 2007 New J. Phys. 9 16
- [13] Gea-Banacloche J 2010 Phys. Rev. A 81 043823
- [14] Fan B, Kockum A F, Combes J, Johansson G, Hoi I C, Wilson C M, Delsing P, Milburn G J and Stace T M 2013 *Phys. Rev. Lett.* 110 053601

- [15] Fushman I, Englund D, Faraon A, Stoltz N, Petroff P and Vučković J 2008 Science 320 769
- [16] Hoi I C, Kockum A F, Palomaki T, Stace T M, Fan B, Tornberg L, Sathyamoorthy S R, Johansson G, Delsing P and Wilson C M 2013 Phys. Rev. Lett. 111 053601
- [17] Matsuda N, Shimizu R, Mitsumori Y, Kosaka H and Edamatsu K 2009 Nat. Photon 3 95
- [18] Braunstein S L and Pati A K (ed) 2003 *Quantum Information with Continuous Variables* (Berlin: Springer)
- [19] Takeno Y, Yukawa M, Yonezawa H and Furusawa A 2007 Opt. Express 15 4321
- [20] Vahlbruch H, Mehmet M, Lastzka N, Hage B, Chelkowski S, Franzen A, Gossler S, Danzmann K and Schnabel R 2008 *Phys. Rev. Lett* **100** 033602
- [21] Mehmet M, Vahlbruch H, Lastzka N, Danzmann K and Schnabel R 2010 Phys. Rev. A 81 013814
- [22] Eberle T, Steinlechner S, Bauchrowitz J, Handchen V, Vahlbruch H, Mehmet M, Muller-Ebhardt H and Schnabel R 2010 Phys. Rev. Lett **104** 251102
- [23] Polzik E S 2008 Nature 453 45
- [24] Wilson C M, Johansson G, Pourkabirian A, Simoen M, Johansson J R, Duty T, Nori F and Delsing P 2011 Nature 479 376
- [25] Flurin E, Roch N, Mallet F, Devoret M H and Huard B 2012 Phys. Rev. Lett 109 183901
- [26] Delsing P 2013 private communication
- [27] Wenger J, Tualle-Brouri R and Grangier P 2004 Opt. Lett. 29 1267
- [28] Takahashi Y, Söderholm J, Hirano K, Namekata N, Machida S, Mori S, Kurimura S, Komatsu S and Inoue S 2008 *Phys. Rev.* A 77 043801
- [29] Eto Y, Tajima T, Zhang Y and Hirano T 2007 Opt. Lett. 32 1698
- [30] Zhang W M, Feng D H and Gilmore R 1990 Rev. Mod. Phys. 62 867
- [31] Leonhardt U 1993 Phys. Rev. A 48 3265
- [32] D'Ariano G M 1994 Phys. Lett. A 187 231
- [33] Kiss T, Herzog U and Leonhardt U 1995 Phys. Rev. A 52 2433
- [34] Bengtsson I and Życzkowski K 2006 Geometry of Quantum States: An Introduction to Quantum Entanglement (Cambridge: Cambridge University Press)
- [35] Nielsen M A and Chuang I L 2000 Quantum Computation and Quantum Information (Cambridge: Cambridge University Press)
- [36] Bartkiewicz K, Lemr K and Miranowicz A 2013 Phys. Rev. A 88 052104
- [37] Miranowicz A 2004 Phys. Rev. Lett 327 272
- [38] Özdemir Ş K, Miranowicz A, Koashi M and Imoto N 2002 Phys. Rev. A 66 053809
- [39] Lemr K, Bartkiewicz K, Černoch A, Soubusta J and Miranowicz A 2012 Phys. Rev. A 85 050307(R)
 - Bartkiewicz K, Lemr K, Černoch A, Soubusta J and Miranowicz A 2013 *Phys. Rev. Lett* **110** 173601
 - Bartkiewicz K, Černoch A, Lemr K, Soubusta J and Stobińska M 2013 arXiv:1310.1768
- [40] Bartkowiak M and Miranowicz A 2010 J. Opt. Soc. Am. B 27 2369